

## Homework 7 Supplement, Statistics 200A Fall 2011

1. Let  $Y \sim \text{Beta}(a, b)$ , with  $a$  and  $b$  positive integers; i.e.  $Y$  has p.d.f.

$$f_Y(y) = \frac{y^{a-1}(1-y)^{b-1}}{B(a, b)}, \quad 0 < y < 1,$$

where  $B(a, b)$  is the beta function. Let  $(X|Y = y) \sim \text{Bi}(n, y)$ .

- (a) What is the joint p.d.f of  $(X, Y)$ ?
- (b) What is the marginal probability function of  $X$ ?
- (c) What is the p.d.f. of  $Y|X = x$ ?

2. Let  $N \sim \text{Poi}(\lambda)$  with  $\lambda > 0$ ; i.e.  $N$  has probability function

$$f_N(k) = e^{-\lambda} \frac{\lambda^k}{k!}, \quad k = 0, 1, \dots$$

Let  $(X|N = n) \sim \text{Bi}(n, p)$  with  $0 \leq p \leq 1$  and let  $Y = N - X$ .

- (a) Show that  $X \sim \text{Poi}(p\lambda)$ . You may use the identity:

$$e^{-a} \sum_{n=k}^{\infty} \binom{n}{k} \frac{a^n}{n!} = \frac{a^k}{k!}, \quad a \in \mathbb{R}.$$

- (b) Show that  $Y \sim \text{Poi}((1-p)\lambda)$ .
- (c) Show that  $X$  and  $Y$  are independent.